



PARISH OF JEFFERSON
PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009

CONTRACT # 55-00019959

PAGE 1

TRAILERS
34730
TRUCK & TRANSPORTATION EQUIP

FROM 2/01/2022 TO 1/31/2023

PO BOX 10455
NEW ORLEANS LA 70181-04

BID#: 5000135396

This order is placed subject to instructions and conditions on reverse hereof

QUANTITY	UNIT	COMMODITY CODE	DESCRIPTION	UNIT PRICE	AMOUNT
1	EA	070.08.01125	<p>0001 - FOUR TON PAYLOAD CAPACITY TAG-A-LONG LOWBOY TRAILER. 10,7300 LBS. GVWR 16 FT L X 74 IN. W BEAVERTAIL WITH TWO 45 IN L X 21 1/2 IN. WITH ADJUSTABLE SPRING ASSIST LOADING RAMPS INCLUDING GROUND BRACES. 21 IN. MAXIMUM DECK HEIGHT. 2 IN. NOMINAL OAK DECK MATERIAL, THREE ROTATING D RINGS PER SIDE, DEXTER MULTI-POINT SPRING SUSPENSION WITH EQUALIZER, TANDUM 6,000 LB. AXLES WITH 12 IN X 2 IN ELECTRICAL BRAKES. TAG-A-LONG LOWBOY TRAILER 4 TON INCLUDING BREAK A-WAY SYSTEM, FOUR 7.00 X 15D TIRES MOUNTED ON 6 HOLE STEEL DISC WHEELS, 5,000 LB. CAPACITY. DROP LEG TOP CRANK, PARKING JACK, FOUR POSITION CAST STEEL PINTLE EYE (1 5/8 STOCK, 2 5/8" I.D.) WITH DUEL SAFETY CHAINS, FLUSH MOUNTED FMVSS #108 SEALED BEAM LIGHTS IN RUBBER GROMMENTS, ALL WIRING IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG.</p> <p>MANUFACTURER: TTE MANUFACTURER PART: 4TTLBT VENDOR PART:</p> <p>ONE (1) YEAR CONTRACT FOR TRAILERS FOR THE JEFFERSON PARISH DEPARTMENT OF FLEET MANAGEMENT</p>	8965.0000	8965.00
1	EA	070.08.01255	<p>0004 - 3 TO 8 TON LOWBOY MACHINERY TRAILER TONGUE REPLACEMENT INCLUDING REMOVAL OF DAMAGED TONGUE TO MATCH ORIGINAL TRAILER TONGUE CONFIGURATION. TONGUE REPLACEMENT TO INCLUDE NEW ADJUSTMENT TO W EYE OR COUPLER. ELECTRICAL 6 WAY OR 7 WAY WIRE WITH PLUG SAFETY CHAINS, ECT. TO MATCH ORIGINAL TRAILER CONFIGURERATION. NEW TONGUE ASSEMBLY TO BE SWEPT BLASTED ZINC PHOSPHATE PRIMED AND FINISHED. PAINTED 5 MILS THICKNESS IMROM TO MATCH ORIGINAL TRAILER COLOR.</p>	5570.0000	5570.00

PHONE: 504-364-2678
EMAIL: PURCHASING@JEFFPARISH.NET
WEB SITE: WWW.JEFFPARISH.NET/BIDS



PARISH OF JEFFERSON
PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009

CONTRACT # 55-00019959

PAGE 2

TRAILERS
34730
TRUCK & TRANSPORTATION EQUIP

PO BOX 10455
NEW ORLEANS LA 70181-04

FROM 2/01/2022 TO 1/31/2023

BID#: 5000135396

This order is placed subject to instructions and conditions on reverse hereof

QUANTITY	UNIT	COMMODITY CODE	DESCRIPTION	UNIT PRICE	AMOUNT
1	EA	070.08.01260	<p>0004 - 3 TO 8 TON LOWBOY MACHINERY MANUFACTURER: TTE MANUFACTURER PART: TTETTR38 VENDOR PART:</p> <p>0005 - 9 to 12 ton lowboy machinery trailer tongue replacement including removal of damaged tongue and replacement with 12" steel "H" beam tongue to match original trailer tongue configuration. Tongue replacement to include new adjustable tow eye, electrical 6 way or 7-way wire with plug, air brake line connections if present, safety chains, etc., to match original trailer configuration. New tongue assembly to be swept blasted, zinc phosphate primed and finished. painted 5 mils. thickness imron to match original trailer color.</p> <p>MANUFACTURER: TTE MANUFACTURER PART: TTETTR912 VENDOR PART:</p>	(CONTINUED) 5665.0000	5665.00
1	EA	070.08.00000	<p>0007 - ONE TON PAYLOAD CAPACITY LIGHT DUTY FLATBED TRAILER 2,990 LBS. GVWR- 6 FT. X 10 FT. L. LOAD DECK 48 IN. L. FULL WIDTH TWO PIECE FOLDING LOAD RAMP COVERED WITH EXPANDED METAL. 2 IN. A-FRAME BALL COUPLER. 2,000 LB. TOP WIND BOLT ON JACK. TWO 1/4 IN. SAFETY CHAINS WITH SAFETY LATCH HOOKS. 3 IN. CHANNEL TONGUE, 2 IN X 216 IN. ANGLE FRAME AND CROSS MEMBERS. 2 IN. PINE DECK. 15 IN. HIGH RAILING PERIMETER FABRICATED OF 2 3/8 IN. DIAMETER PIPE TOP. RAIL MULTI-LEAK SPRING SUSPENSION. 3,500 LB. CAPACITY. EX LUB AXLE, 15 X 5 WHITE ONE TON PAYLOAD CAPACITY. LIGHT SPOKE 5-BOTQ WHEELS. TWO ST205/7R 15 IN. LOAD RANGE B TIRES, DOT STOP, TURN AND CLEARANCE LIGHTS, 54-WAY FLAT ELECTRICAL PLUG. ALL WIRING IN LOOM CONDUIT. FINISH PAINTED ACRYLIC ENALMEL RED OR BLACK.</p> <p>MANUFACTURER: TTE MANUFACTURER PART: TTE2990 VENDOR PART:</p>	5991.0000	5991.00

PHONE: 504-364-2678
EMAIL: PURCHASING@JEFFPARISH.NET
WEB SITE: WWW.JEFFPARISH.NET/BIDS



PARISH OF JEFFERSON
PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009

CONTRACT # 55-00019959

PAGE 3

TRAILERS
 34730
 TRUCK & TRANSPORTATION EQUIP

FROM 2/01/2022 TO 1/31/2023

PO BOX 10455
 NEW ORLEANS LA 70181-04

BID#: 5000135396

This order is placed subject to instructions and conditions on reverse hereof

QUANTITY	UNIT	COMMODITY CODE	DESCRIPTION	UNIT PRICE	AMOUNT
1	EA	070.08.00000	<p>0009 - TWELVE TON PAYLOAD CAPACITY TAG-A-LONG TRAILER. 29,000 LB. GVWR 19 FT L X 8 FT. W LOAD DECK PLUS 5 FT. FULL WIDTH BEAVERTAIL WITH TOW. 72 IN. X 22 1/2 IN. W ADJUSTABLE, SPRING ASSISTED LOADING RAMPS INCLUDING GROUND BRACES. 34 IN. MAXIMUM UNLOADED DECK HEIGHT WITH PIERCED BEAM CONSTRUCTION. 2 IN NOMINAL OAK DECKMATERAIL. FULL WIDTH 8 IN. STEEL CHANNEL HEADBOARD, FIVE ROTATING D-RINGS PER SIDE. PIERCED BEAM CONSTRUCTION FOR LOW BED HEIGHT, HUTCH 9700 MULTI-POINT SPRING SUSPENSION WITH RADIUS ROD AXLE TRACKING. TANDEM 12,000 LB. AXLES WITH 12 1/4 IN. X 5 IN. ELECTRICAL BREAK AWAY SYSTEM. EIGHT 235/85R16E STEEL BELTED RADIAL TIRES MOUNTED ON 8 HOLE STEEL DISC TIRES. 12,000 LB. CAPACITY DROP LEG TOP CRANK, PARKING JACK, FOUR POSITION CAST Q STEEL PINTLE EYE (1 5/8 IN, STOCK;3 IN. I.D.) WITH DUAL SAFETY CHAINS, DRAWBAR STORAGE AREA FIVE ROTATING RINGS EQUALLY SPACED DOWN EACH SIDE OF THE TRAILER. FLUSH MOUNTED FMVSS 108 SEALED BEAM LIGHTS WITH GROMMETS, ALL WIRING IN MODULAR NEOPREME JACK WITH SEVEN WAY ELECTRICAL PLUGH, HIGHWAY SAFETY YELLOW.</p> <p>MANUFACTURER: EAGER BEAVER MANUFACTURER PART: 12HDB-PT VENDOR PART:</p>	18726.0000	18726.00
1	EA	070.08.00000	<p>0010 - FIFTEEN TON PAYLOAD CAPACITY TAG-A-LONG LOWBOY TRAILER. 35,900 LB. GVWR 19 IN. X 8 FT. 6 IN. WITH LOAD DECK PLUS 6 FT FULL WIDTH BEAVERTAIL WITH TWO ADJUSTABLE SPRING-ASSIST LOADING RAMPS INCLUDING GRAND BRACES, 34 IN. MAXIMUM UNLOADED DECK HEIGHT WITH PIERCED BEAM CONSTRUCTION. 2 IN. NOMINAL OAK DECK MATERIAL. FULL WIDTH 8 IN. STEEL CHANNEL MATERIAL, FIVE ROTATING D-RINGS PER SIDE, PIERCED BEAM CONSTRUCTION FOR LOW BED HEIGHT. HUTCH H-9700 MULTI-POINT SPRING 50,000 LB. SUSPENSION WITH RADIUS ROD AXLE TRACKING TANDEM 22,500 LB. AXLE WITH ANTI-LOCK</p>	22695.0000	22695.00

PHONE: 504-364-2678
 EMAIL: PURCHASING@JEFFPARISH.NET
 WEB SITE: WWW.JEFFPARISH.NET/BIDS



PARISH OF JEFFERSON
PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009

CONTRACT # 55-00019959

PAGE 4

TRAILERS
 34730
 TRUCK & TRANSPORTATION EQUIP

FROM 2/01/2022 TO 1/31/2023

PO BOX 10455
 NEW ORLEANS LA 70181-04

BID#: 5000135396

This order is placed subject to instructions and conditions on reverse hereof

QUANTITY	UNIT	COMMODITY CODE	DESCRIPTION	UNIT PRICE	AMOUNT
			<p>0010 - FIFTEEN TON PAYLOAD CAPACITY AIR BRAKE SYSTEM, 4S2M SENSOR ALL WHEELS TWO MODULAR VALVES, SPRING BRAKE ON EACH AXLE. EIGHT 215.7R17.5 H STEEL BELTED RADIAL TIRES MOUNTED ON 8 HOLE PILOTED STEEL DISC WHEELS. 40,000 LB. LIFT CAPACITY. TWO SPEED CRANK PARKING JACK, FOUR POSITION CAST STEEL PINTLE EYE (1 5/8 IN STOCK, 3 IN. I.D.) WITH DUAL SAFETY CHAINS, DRAWBAR STORAGE AREA FIVE ROTATING D-RINGS EQUALLY SPACED DOWN EACH SIDE OF THE TRAILER. FLUSH MOUNTED FMVSS 108 SEALED BEAM LIGHTS IN RUBBER GROMMENTS. ALL WIRING IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG. HIGHWAY SAFETY YELLOW COLOR.</p> <p>MANUFACTURER: EAGER BEAVER MANUFACTURER PART: 20XPT VENDOR PART:</p>	(CONTINUED)	
1	EA	070.08.01135	<p>0011 - FIFTEEN TON PAYLOAD CAPACITY TAG-A-LONG LOWBOY TRAILER, 39,000 LBS. GVWR: 19'L X 8'6"W LOAD DECK PLUS 6 FT. FULL WIDTH BEAVERTAIL WITH TWO 72" L X 22 1/2"W ADJUSTABLE SPRING ASSIST LOADING RAMPS INCLUDING GROUND BRACES. 34" MAXIMUM DECK HEIGHT WITH PIERCED BEAM CONSTRUCTION. 2" NOMINAL OAK DECK MATERIAL. FULL WIDTH 8" STEEL CHANNEL HEADBOARD. FIVE ROTATING D-RINGS PER SIDE. PIERCED BEAM CONSTRUCTION FOR LOW BED HEIGHT. HUTCH H-9700 MULTI POINT 50,000 LB. SUSPENSION WITH RADIUS ROD AXLE TRACKING. TANDEM 15,000 LB. AXLES WITH 12 1/4 X 5" ELECTRIC BRAKES INCLUDING BRAKE AWAY SYSTEM. EIGHT 215/7R17.5 H STEEL BLETED RADIAL TIRES MOUNTED ON 8 HOLE PILOTED STEEL DISC WHEELS. 40,000 LB. LIFT CAPACITY. TWO SPEED CRANK PARKING JACK. FOUR POSITION CAST STEEL PINTEL EYE (1 5/8 IN. STOCK 3:I.D.) WITH DUAL SAFETY CHAINS. DRAW BAR STORAGE AREA. FIVE ROTATING D-RINGS EQUALLY SPACED. TAG-A-LONG LOWBOY TRAILER 48,000 LB. MOUNTED, FMVSS #108 SEALED BEAM LIGHTS IN RUBBER GROMMENTS.</p>	23473.0000	23473.00

PHONE: 504-364-2678
 EMAIL: PURCHASING@JEFFPARISH.NET
 WEB SITE: WWW.JEFFPARISH.NET/BIDS



PARISH OF JEFFERSON
PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009

CONTRACT # 55-00019959

PAGE 5

TRAILERS
34730
TRUCK & TRANSPORTATION EQUIP

PO BOX 10455
NEW ORLEANS LA 70181-04

FROM 2/01/2022 TO 1/31/2023

BID#: 5000135396

This order is placed subject to instructions and conditions on reverse hereof

QUANTITY	UNIT	COMMODITY CODE	DESCRIPTION	UNIT PRICE	AMOUNT
				(CONTINUED)	
1	EA	070.08.00005	0011 - FIFTEEN TON PAYLOAD CAPACITY ALL WIRING IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG DOWN EACH SIDE OF THE TRAILER. FLUSH MOUNTED FMVSS 108 SEALED BEAM LIGHTS IN RUBBER GROMMENTS. ALL WIRING IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG. HIGHWAY SAFETY YELLOW. MANUFACTURER: EAGER BEAVER MANUFCAURER PART: 15HDB-PT VENDOR PART:	47510.0000	47510.00
1	EA	070.08.00005	0013 - HEAVY DUTY HYDRA NECK 35 TON DETACHABLE GOOSENECK LOWBOY TRAILER. CAPACITY-70,000 LBS. TRAILER WEIGHT-18,000 LBS. DECK WIDTH-8'6".DECK LENGTH-44' 5". HEIGHT-24" (LOADED). 80,000 PSI MINIMUM YIELD STEEL MAIN FRAME. FOUR FABRICATED 16"DEEP CAMBERED I-BEAMS, CROSSMEMBERS 10" PIERCE I-BEAMS SPACED AT 24". GOOSENECK LENGTH-102" (SWING CLEARANCE). FIFTH WHEEL HEIGHT STANDARD 50". DECKING-2" NOMINAL HARDWOOD. WIRING HARNESS 7 WAY ATA PLUG. FRONT RAMP-FRONT FLIP WITH GROUSERS. MANUALLY RAISE AND LOWER VALVE. HYDRAULICS-WETLINE HOOK-UP FOR TRACTORS. PTO LEVEL OPERATIONS CONTROL. CONTROL VALVE EYE LEVEL. 4"RELIEF GOOSENECK. PAINT-WHITE WITH EAGER BEAVER DECALS. EIGHT TIRES 275/70R22.5 (H) STEEL BELTED RADIALS. HBS/WHEELS-4 DISC TYPE WHEELS. STEMCO OIL SEALS. HUB PILOTED,SUSPENSION AIR RIDE (COMBINED CAPACITY 75,000 LBS.) DUMP VALVE AXLE. TWO 5" DIAMETER, 25,000 LBS. EACH. TIE DOWNS 7 EACH PER SIDE ROTO RINGS. BRAKES ABS SYSTEM WITH SPRING BRAKES. FORLER POWER PACK. PARKING CAST STEEL OUTRIGGERS. 14 HP KOHLER POWER PACK. MANUFACTURER: EAGER BEAVER MANUFACTURER PART: 35GSL-3 VENDOR PART:	66505.0000	66505.00

PHONE: 504-364-2678
EMAIL: PURCHASING@JEFFPARISH.NET
WEB SITE: WWW.JEFFPARISH.NET/BIDS



PARISH OF JEFFERSON
PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009

CONTRACT # 55-00019959

PAGE 6

TRAILERS
34730
TRUCK & TRANSPORTATION EQUIP

PO BOX 10455
NEW ORLEANS LA 70181-04

FROM 2/01/2022 TO 1/31/2023

BID#: 5000135396

This order is placed subject to instructions and conditions on reverse hereof

QUANTITY	UNIT	COMMODITY CODE	DESCRIPTION	UNIT PRICE	AMOUNT
			<p>0015 - HEAVY DUTY HYDRA NECK 55 TON CAPACITY-110,000 LBS. TRAILER WEIGHT-22,650 LBS. DECK WIDTH-8 FT. 6 IN. DECK LENGTH-25 FT. OVERALL. LENGTH-51 FT 2 IN. HEIGHT-24 IN. PSI-80,000 MINIMUM YIELD STEEL MAINFRAME. FOUR FABRICATED 16" DEEP CAMBERED I-BEAMS. CROSSMEMBERS-10". PIERCECED-1-10 SPACED AT 24". GOOSENECK LENGTH, 102" (SWING CLEARANCE). FIFTH WHEEL HEIGHT-STANDARD 50". DECKING-2" NOMINAL HARDWOOD. WIRING HARNESS 7 WAY ATA PLUG. FRONT RAMP-FRONT FLIP WITH GROUSSERS. MANUAL RAISE AND LOWER VALVE. HYDRAULICS-WETLINE HOOK-UP FOR TRACTOR. PTO OPERATIONS. CONTROLS-CONTROL VALVE AT EYE LEVEL.4" RELIEF GOOSENECK. AIR LIFT 3RD AXLE. PAINT-PARISH WHITE WITH EAGER BEAVER DECALS. TIRES-275/70R22.5 (H) STEEL BLETED RADIAL. HUBS/WHEELS-SIX DISC TYPE HUBS. TWELVE 8.25 X 22.5 DISC TYPE WHEELS. STEMCO OIL SEALS. HUB PILOTED. SUSPENSION AIR RID (COMBINED CAPACITY-75,000 LBS.). DUMP VALVE. AXLE THREE 5"DIAMETER. 25,000 LBS. EACH TIE DOWN-7 EACH PER SIDE ROTO RINGS. BRAKES-ABS SYSTEM WITH SPRING BRAKES FOR PARKING. CAST STEEL OUTRIGGERS. 4TH FLIP AXLE 14 HP KOHLER POWER PACK. LOAD BEARING WHEEL COVERS. ALUMINUM WHEELS.</p> <p>MANUFACTURER: EAGER BEAVER MANUFACTURER PART: 55GSL-3 VENDOR PART:</p>	(CONTINUED)	
1	EA	070.08.00000	<p>0016 - HEAVY DUTY HYDRA NECK 60 TON DETACHABLE GOOSENECK LOWBOY TRAILER. CAPACITY-120,000 LBS. DECK WIDTH-8 ' 6" DECK LENGTH-25 FT. OVERALL LENGTH-53 FT. HEIGHT-24 INCHES. PSI-80,000 MINIMUM. YIELD FRAME. FOUR CROSS-MEMBERS-10". PIERCED I-BEAMS SPACED AT 24". GOOSE-</p>	69716.0000	69716.00

PHONE: 504-364-2678
EMAIL: PURCHASING@JEFFPARISH.NET
WEB SITE: WWW.JEFFPARISH.NET/BIDS



PARISH OF JEFFERSON
PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009

CONTRACT # 55-00019959

PAGE 7

TRAILERS
34730
TRUCK & TRANSPORTATION EQUIP

PO BOX 10455
NEW ORLEANS LA 70181-04

FROM 2/01/2022 TO 1/31/2023

BID#: 5000135396

This order is placed subject to instructions and conditions on reverse hereof

QUANTITY	UNIT	COMMODITY CODE	DESCRIPTION	UNIT PRICE	AMOUNT
			<p>0016 - HEAVY DUTY HYDRA NECK 60 TON NECK LENGTH-102' NOMINAL HARDWOOD. WIRING HARNESS-7WAY ATA PLUG. FRONT RAMP-FRONT FLIP WITH GROUSSERS.QMA NUAL RAISE AND LOWER VALVE HYDRAULICS. WETLINE HOOK-UP FOR TRACTOR. PTO OPERATIONS. CONTROL VALVE AT EYE LEVEL. 4 IN. RELIEF GOOSENECK. AIR LIFT THIRD AXLE. PAINT-PARISH WHITE WITH EAGER BEAVER DECALS. TIRES-275/22.5 DISC TYPE WHEELS. STEMDO OIL SEALS, HUB PILOTED. SUSPENSION AIR RIDE (COMBINED CAPCITY 75,000 LBS.). DUMP VALVE. AXLE-THREE 5" DIAMETER, 25,000 LBS. EACH. TIE-DOWNS 7 EACH PER SIDE ROTO RINGS. BRAKES-ABS SYSTEM WITH SPRING BRAKES FOR PARKING. CAST STEEL OUTRIGGERS, 4TH FLIP AXLE. 14 HP KOHLER POWER PACK. LOAD BARING WHEEL COVERS. ALUMINUM WHEELS. (OUTSIDE)</p> <p>MANUFACTURER: EAGER BEAVER MANUFACTURER PART: 60GSL-3 VENDOR PART:</p>	(CONTINUED)	
2	EA	070.80.00037	<p>0018 - MULTI-TANK FUEL TRAILER DIESEL FUEL TANKS; INDEPENDENTLY MOUNTED ON A FRAME WITH SPRING LOADED BOLTS; BUILT WITH TUBED FRAMING AND 2" TOP AND BOTTOM HORIZONTAL SUPPORTS; WALKING AXLES; ALL TANKS BUILT WITH CORNER BRACING; 54" CABINET WITH TWO "GULL WING" DOORS; 5 X 2" TUBE FRAME; 2-6000 SPRING AXLES WITH ELECTRIC BRAKES ALUMINUM, 235-80-R16 WHEELS AND TIRES; DOT LIGHTING; 7-110 GALLON DIESEL FUEL TANKS; HONDA ELECTRIC START 50 GPM FUEL PUMP; FILL-RIGHT 901 MECHANICAL METER; REEL CRAFT 1" X 50' DIESEL REEK WITH HIGH FLOW AUTO NOZZLE AND SWIVEL; 1-110 STAINLESS STEEL DEF TANK; 12 V DEF PUMP WITH 3-WAY VALVE; REEL CRAFT 1/2"X50' DEF REEL WITH NOZZLE; 4"X6" LED WORK LIGHT; PREMIER POWDER COAT FINISH.</p> <p>MANUFACTURER: AMER. EAGLE MANUFACTURER PART: 101780 VENDOR PART:</p>	26788.0000	53576.00

PHONE: 504-364-2678
EMAIL: PURCHASING@JEFFPARISH.NET
WEB SITE: WWW.JEFFPARISH.NET/BIDS



PARISH OF JEFFERSON
PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009

CONTRACT # 55-00019959

PAGE 8

TRAILERS
34730
TRUCK & TRANSPORTATION EQUIP

PO BOX 10455
NEW ORLEANS LA 70181-04

FROM 2/01/2022 TO 1/31/2023

BID#: 5000135396

This order is placed subject to instructions and conditions on reverse hereof

QUANTITY	UNIT	COMMODITY CODE	DESCRIPTION	UNIT PRICE	AMOUNT
1	EA	070.80.00037	<p>0019 - ECONOMY MOBILE FUEL TRAILER- 500 GALLON ECONOMY SIZE FUEL TRAILER TANKS INTERNALLY BAFFLED; TRAILER WILL COME EQUIPPED WITH ELECTRIC BRAKES, WHITE SPOKES WITH RADIALS, REMOVABLE DROP LEG JACK, SAFETY CHAINS, ADJUSTABLE HEIGHT HITCH AND ALL DOT LIGHTING, AND 12 VOLD FUEL PUMP.</p> <p>MANUFACTURER: AMER. EAGLE MANUFACTURER PART: 108596 VENDOR PART:</p>	11469.0000	11469.00
1	EA	070.80.00037	<p>0020 - ECONOMY MOBILE FUEL TRAILER- 900 GALLON ECONOMY SIZE FUEL TRAILER TANKS INTERNALLY BAFFLED. TRAILER COMES EQUIPPED WITH ELECTRIC BRAKES, WHITE SPOKES WITH RADIALS, REMOVABLE DROP LET JACK, SAFETY CHAINS, ADJUSTABLE HEIGHT HITCH AND ALL DOT LIGHTING, AND 12 VOLT FUEL PUMP.</p> <p>MANUFACTURER: AMER. EAGLE MANUFACTURER PART: 108600 VENDOR PART:</p>	14197.0000	14197.00
1	EA	070.80.00037	<p>0021 - DELUXE MOBILE FUEL TRAILER- 500 GALLON CAPACITY. TANKS INTERNALLY BAFFLED. DELUXE TRAILER COMES STANDARD WITH SPACE TO ACCOMODATE FOR DEF UPGRADE AT FUTURE DATE. TRAILER COMES EQUIPPED WITH 54" CABINET WITH TWO BOTTOM OPENING LOCKABLE DOORS, ELECTRIC BRAKES, WHITE MOD WITH RADIALS REMOVABLE DROP LEG JACK, SAFETY CHAINS, ADJUSTABLE HEIGHT HITCH ALL DOT LIGHTING LOCKABLE CABINET TO HOUSE ON 25'X1" DIESEL FUEL REEL WITH HUSKY AUTO NOZZLE AND HIGH FLOW FUEL SWIVEL. ONE 5.5 HP HONDA ENGINE WITH 2" TRANSFER PUMP WITH DOUBLE FILTER HEAD AND FILTERS, CAPABLE OF PRODUCING 40 GPM, HIGH FLOW FR901 40 GPM MECHANICAL METER WITH RESETTABLE ACCUMULATOR FLOW RATE TOTALIZER TO 99.9 GPM. ONE 23" X 3' AND ON3 23" X 5" DEEP DRAWER.</p> <p>MANUFACTURER: AMER. EAGLE</p>	17900.0000	17900.00

PHONE: 504-364-2678
EMAIL: PURCHASING@JEFFPARISH.NET
WEB SITE: WWW.JEFFPARISH.NET/BIDS



PARISH OF JEFFERSON
PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009

CONTRACT # 55-00019959

PAGE 9

TRAILERS
 34730
 TRUCK & TRANSPORTATION EQUIP

 PO BOX 10455
 NEW ORLEANS LA 70181-04

FROM 2/01/2022 TO 1/31/2023

BID#: 5000135396

This order is placed subject to instructions and conditions on reverse hereof

QUANTITY	UNIT	COMMODITY CODE	DESCRIPTION	UNIT PRICE	AMOUNT
			0021 - DELUXE MOBILE FUEL TRAILER- MANUFACTURER PART: 108575 VENDOR PART:	(CONTINUED)	
1	EA	070.80.00037	0022 - DELUXE MOBILE FUEL TRAILER- 750 GALLON CAPACITY; TANKS INTERNALLY BAFFLED; DELUXE TRAILER COMES STANDARD WITH SPACE TO ACCOMMODATE FOR DEF UPGRADE AT FUTURE DATE. TRAILER COMES EQUIPPED WITH ONE 54" CABINET WITH TWO BOTTOM OPENING LOCKABLE DOORS, ELECTRIC BRAKES, WHITE MOD WITH RADIALS, REMOVABLE DROP LEG JACK, SAFETY CHAINS, ADJUSTABLE HEIGHT HITCH AND ALL DOT LIGHTING. LOCKABLE CABINET TO HOUSE ON 25'X1" DIESEL FUEL REEL WITH HUSKY AUTO NOZZLE AND HIGH FLOW FUEL SWIVEL. ONE 5.5 HONDA ENGINE WITH 2" TRANSFER PUMP WITH DOUBLE FILTER HEAD AND FILTERS CAPABLE OF PRODUCING 40 GPM, HIGH FLOW FR901 40 GPM MECHANICAL METER WITH RESETTABLE ACCUMULATOR FLOW RATE TOTALIZER TO 99.9 GPM. ONE 23" X 3 AND ONE 23" X 5" DEEP DRAWER. MANUFACTURER: AMER. EAGLE MANUFACTURER PART: 108577 VENDOR PART:	18613.0000	18613.00
1	EA	070.80.00037	0023 - DELUXE MOBILE FUEL TANKER- 990 GALLON CAPACITY. TANKS INTERNALLY BAFFLED; DELUXE TRAILER COMES STANDARD WITH SPACE TO ACCOMMODATE FOR DEF UPGRADE AT FUTURE DATE; TRAILER COMES EQUIPPED WITH ONE 54" CABINET WITH TWO BOTTOM OPENING LOCKABLE DOORS, ELECTRIC BRAKES, WHITE MOD WITH RADIALS, REMOVABLE DROP LEG JACK, SAFETY CHAINS, ADJUSTABLE HEIGHT HITCH AND ALL DOT LIGHTING. LOCKABLE CABINET TO HOUSE 25'X1" DIESEL FUEL REEL WITH HUSKY AUTO NOZZLE AND HIGH FLOW FUEL SWIVEL. ONE 5.5. HP HONDA ENGINE WITH 2" TRANSFER PUMP WITH DOUBLE FILTER HEAD AND FILTERS CAPABLE OF PRODUCING 40 GPM. HIGH FLOW FR901 40 GPM MECHANICAL METER WITH RESETTABLE ACCUMULATOR FLOW RATE TOTALIZER TO 99.9 GPM. ONE 23"X3 AND ONE	19560.0000	19560.00

PHONE: 504-364-2678
 EMAIL: PURCHASING@JEFFPARISH.NET
 WEB SITE: WWW.JEFFPARISH.NET/BIDS



PARISH OF JEFFERSON
PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009

CONTRACT # 55-00019959

PAGE 10

TRAILERS
34730
TRUCK & TRANSPORTATION EQUIP

PO BOX 10455
NEW ORLEANS LA 70181-04

FROM 2/01/2022 TO 1/31/2023

BID#: 5000135396

This order is placed subject to instructions and conditions on reverse hereof

QUANTITY	UNIT	COMMODITY CODE	DESCRIPTION	UNIT PRICE	AMOUNT
			0023 - DELUXE MOBILE FUEL TANKER- 990 23" X 5 DEEP DRAWER. MANUFACTURER: AMER. EAGLE MANUFACTURER PART: 108579 VENDOR PART: RESOLUTION #138317, ADOPTED: 10/6/2021 SHANNA FOLSE, BUYER II/NMW	(CONTINUED)	