

JEFFERSON PARISH

DEPARTMENT OF ENGINEERING PUBLIC WORKS

CYNTHIA LEE SHENG PARISH PRESIDENT

DRIVEWAY PERMIT APPLICATION

Please Print Clearly

ANGELA DESOTO, P.E.

Property Owner Information

FULL Property Address:	
Name:	
Mailing Address (if different from property address):	
Phone Number:	
Email Address:	
Contractor Information	
Company Name:	
Contact Person:	
Phone Number:	
Email Address:	
How would you like to receive the Permit? ☐ Email or ☐ Pick Up	
Applicant Signature: Date:	

Contact Information

Vincent Acosta Engineering 1887 Ames Blvd. Marrero, LA 70072 vacosta@jeffparish.net Phone: (504) 349-5174

DRIVEWAY AND SIDEWALK PERMIT REQUIREMENTS

Description of Work: (Please Complete)

Add	Address of Property:											
	Please check all that apply:											
	New Residential Construction Building Permit #											
	Existing Residential											
	Replace or widen existing:											
	☐ Install secondary driveway											
Driv	Driveway Type: ☐Single ☐ Double ☐ Circular ☐Other											
<u>Dri</u>	ve	way P	ermit	Require	ements	Check	<u>dist</u>					
	Αd	current	survey									
	Th	e comp	oleted s	ketch pa	age whic	ch applie	es to yo	ur pı	roposal	. Choose	from the	following:
	A	A	В	С	D	E	F	G	Н			
	 Provide the following information in the blank boxes on the provided sketch: Width of driveway(s) along front property line (property side of sidewalk); Distance from street edge to street side of sidewalk. 											
	For circular driveways, provide the following additional information:											
	 Distance between the two proposed driveways along the front property line; Distance from the sidewalk to the inside edge of the curved portion of the driveway; 											
		0	Width	of the c	curved p	ortion o	f the dr	ivew	ay.			
	0	Show	Fire In Gates Utility Strees Trees Wate Traffi Catch	Hydrant/\s/Fences Poles/G t Lights	Valves Suy Wire s)/Sewe	es er Cleand nlets, Ma	out(s) anholes	s, and	d Yard l		es:	

o Property address and bounding street names (nearest cross streets)

DRIVEWAY AND SIDEWALK PERMIT REQUIREMENTS

APPROVED PERMIT: The attached driveway permit drawing is approved for locational purposes only. The General Notes listed below must be addressed at the time of construction.

The owner should provide the approved site plan and driveway / sidewalk drawings to his or her contractor for construction.

Please contact the Engineering Inspections Division at (504) 349-5173 to set up a consultation with an Engineering Inspector before any work is begun in the Parish Right of Way. It is highly recommended to set up this consultation as soon as this permit is issued.

General Notes:


STANDARDS: All driveways and sidewalks must be in accordance with the latest Jefferson Parish Department of Public Works Standard Details. The standards can be found online at http://www.jeffparish.net under Engineering Department – *Public Works Standard Details*.


ELEVATIONS/SLOPES: Driveway and Sidewalk elevations and slopes are set by ADA Standards and Jefferson Parish Department of Publics Works Standards and enforced by the Jefferson Parish Engineering Department Inspectors. It is the architect, contractor, and/or property owners' responsibility to design slopes and elevations on private property to adequately tie-in to right-of-way requirements.

UTILITY OFFSET MINIMUM: No portion of any driveway shall be located within four (4') feet of any fire hydrant, utility poles, drain/catch basin, or any other surface utility within the public right-of-way. The applicant, at his or her expense, may have the surface utility moved or modified, if the public utility agency determines that the move or modification will not detrimentally affect the service.


PERMIT INSTRUCTIONS

- 1. Call for a pre-pour when all driveway aprons and sidewalks are completely formed and pins installed in the expansion joints;
- 2. Allow up to 2 working days for inspections;
- 3. Asphalt streets general rule:
 - a. Engineering Inspector to set elevations;
- 4. Aprons general rules:
 - a. The standard slope may not exceed 5%;
 - b. Aprons and driveway sidewalks must have a 6" depth for residential, 8" for commercial;
 - c. 3/4" Pre-molded expansion material must be installed at the concrete curb for the apron;
- 5. Sidewalks general rules:
 - a. If existing sidewalks are to remain, all trip hazards must be eliminated before the final inspection;
 - b. A 5' green space is required between the side property lines at the bottom and top of the sidewalk in the Right of Way;
 - c. Box in all walk ways with expansion joints in sidewalks;
 - d. Sidewalk maximum cross slope is 1/4": 1';
 - e. Sidewalk linear transition maximum slope is 1": 20" or 5%;
- 6. If applicable, Parish Arborist must investigate the existing condition of trees in the Parish right of way affecting pavement to determine if the tree roots can be grinded. All existing concrete surrounding the tree must be removed before the Parish Arborist will investigate.
- 7. Chain walls must terminate at the property line;
- 8. Any drain inlets in the Right of Way must be protected from sand and debris from entering it during construction;
- 9. Brick pavers, brick mailboxes, and drain pop ups in the Right of Way require a signed waiver. Contact the Department of Engineering Inspections at: (504) 349-5173 for more information;
- 10. All required sod in the right of way must be in place before the final inspection.







STREET NAME AND ADDRESS




STREET NAME (AND ADDRESS)

REVISED 6/21/2021







SIDE STREET

SIDE STREET

PROPERTY LINE	
1. PLEASE CONTACT THE ENGINEERING INSPECTIONS DIVISION AT (504) 349-5173 FOR CONSULTATION BEFORE ANY WORK HAS BEGUN IN THE PARISH RIGHT OF WAY. 2. OWNER/CONTRACTOR/APPLICANT IS AWARE THAT EXISTING CONDITIONS AT THE SITE MAY REQUIRE REVISIONS IN THE FIELD AS DETERMINED BY THE ENGINEERING FIELD INSPECTOR AND AGREES TO CONSTRUCT ALL IMPROVEMENTS ACCODINGLY 3. SEE ATTACHED PERMIT INSTRUCTIONS SHEET. 4. PLEASE CONTACT THE ENGINEERING INSPECTIONS DIVISION AT (504) 349-5173 FOR A PRE-POUR INSPECTION PRIOR TO THE PLACEMENT OF CONCRETE IN THE PARISH RIGHT OF WAY.	PROPERTY LINE * * * * * * * * * * * * *
*	23-0
T 4"THK, CONCRETE SIDEWALK	† 5′-0 ′
	*CRASS SOD
*	*GRASS SOD TYPICAL IN RIGHT OF WAY
EDGE OF ROAD OR BACK OF CURB	
OTDEET NIANGE	
STREET NAME (AND ADDRESS)	